

# CLAIMS

Sub a'7

1. A container closure comprising:

- a. a top, having an interior surface and an exterior surface;
- b. <sup>30</sup> (an annular outer skirt, depending from and being essentially centered on the interior surface of said top, said outer skirt having a first face which faces inward toward the center of said outer skirt, a second face which faces outward from said skirt, a top edge which abuts said top, and a bottom edge, and said outer skirt having a first diameter at the top edge of the outward face and a second diameter at the bottom edge of the outward face wherein said top diameter is greater than said bottom diameter causing said outer skirt to have a frusto-conical configuration on the exterior surface;
- c. <sup>20</sup> (at least one annular inner skirt, depending from and being essentially centered on the interior surface of said top, said inner skirt having a first surface which faces inward toward the center of the skirt and a second surface which faces outward toward said outer skirt;
- d. at least one rib, depending from said top and attached to the outward facing surface of said inner skirt.

103  
12. The closure of Claim 1 wherein said inner skirt defines a length and said rib is essentially the same length as said inner skirt.

Sub 101  
13. The closure of Claim 1 wherein said inner skirt defines a length and said rib is shorter than the length of said inner skirt.

09876336-060701

Sub 27  
4

The closure of Claim 1 wherein said inner skirt has a diameter that is less than the bottom diameter of said outer skirt and said closure further includes an annular flange depending from the interior surface of said top and being essentially centered on the interior surface of said top, said flange having a diameter that is smaller than the diameter of said inner skirt.

5. The closure of Claim 1 further including at least one thread attached to the inward facing surface of said inner skirt.

6. The closure of Claim 1 further including depressions along the outward face of said outer skirt.

7. The closure of Claim 1 wherein said rib extends from said inner skirt to said outer skirt.

Sub 27  
8

The closure of Claim 7 wherein said inner skirt defines a length and at least part of said rib is essentially the same length as said inner skirt.

109  
9. The closure of Claim 7 wherein said outer skirt defines a length and at least part of said rib is essentially the same length as said outer skirt.

10. The closure of Claim 7 wherein said inner skirt defines a length and at least part of said rib is shorter than the length of said inner skirt.

09876336-060701

11. The closure of Claim 7 wherein said outer skirt defines a length and at least part of said rib is shorter than the length of said outer skirt.

12. A container closure comprising:

- a. a top, having an interior surface and an exterior surface;
- b. an annular outer skirt, depending from and being essentially centered on the interior surface of said top, said outer skirt having a first face which faces inward toward the center of said outer skirt, a second face which faces outward from said skirt, a top edge which abuts said top, and a bottom edge, and said outer skirt having a first diameter at the top edge of the outward face and a second diameter at the bottom edge of the outward face wherein said top diameter is greater than said bottom diameter causing said outer skirt to have a frusto-conical configuration on the exterior surface;
- c. an annular inner skirt, depending from and being essentially centered on the interior surface of said top, said inner skirt having a first surface which faces inward toward the center of the skirt and a second surface which faces outward toward said outer skirt;
- d. at least one thread attached to the inward facing surface of said inner skirt; and
- e. at least one rib, depending from said top and attached to the outward facing surface of said inner skirt.

13. The closure of Claim 12 wherein said inner skirt defines a length and said rib is essentially the same length as said inner skirt.

09876336-060701

14. The closure of Claim 12 wherein said inner skirt defines a length and said rib is shorter than the length of said inner skirt.

Sub 47  
15. The closure of Claim 12 wherein said inner skirt has a diameter that is less than the bottom diameter of said outer skirt and said closure further includes an annular flange depending from the interior surface of said top and being essentially centered on the interior surface of said top, said flange having a diameter that is smaller than the diameter of said inner skirt.

16. The closure of Claim 12 further including depressions along the outward face of said outer skirt.

17. The closure of Claim 12 wherein said rib extends from said inner skirt to said outer skirt.

Sub 47  
18. The closure of Claim 17 wherein said inner skirt defines a length and at least part of said rib is essentially the same length as said inner skirt.

19. The closure of Claim 17 wherein said outer skirt defines a length and at least part of said rib is essentially the same length as said outer skirt.

20. The closure of Claim 17 wherein said inner skirt defines a length and at least part of said rib is shorter than the length of said inner skirt.

09876336-060701

21. The closure of Claim 17 wherein said outer skirt defines a length and at least part of said rib is shorter than the length of said outer skirt.

22. A container closure comprising:

- a. a top, having an interior surface and an exterior surface;
- b. an annular outer skirt, depending from and being essentially centered on the interior surface of said top, said outer skirt having a first face which faces inward toward the center of said outer skirt, a second face which faces outward from said skirt, a top edge which abuts said top, and a bottom edge, and said outer skirt having a first diameter at the top edge of the outward face and a second diameter at the bottom edge of the outward face wherein said top diameter is greater than said bottom diameter causing said outer skirt to have a frusto-conical configuration on the exterior surface;
- c. an annular inner skirt, depending from and being essentially centered on the interior surface of said top, said inner skirt having a first surface which faces inward toward the center of the skirt and a second surface which faces outward toward said outer skirt;
- d. at least one thread attached to the inward facing surface of said inner skirt; and
- e. at least one rib, depending from said top, said rib being attached to the outward facing surface of said inner skirt and extending from said inner skirt to said outer skirt.

09876336-060701

23. The closure of Claim 22 wherein said inner skirt defines a length and at least part of said rib is essentially the same length as said inner skirt.

24. The closure of Claim 22 wherein said outer skirt defines a length and at least part of said rib is essentially the same length as said outer skirt.

Sub C1 25. The closure of Claim 22 wherein said inner skirt defines a length and at least part of said rib is shorter than the length of said inner skirt.

26. The closure of Claim 22 wherein said outer skirt defines a length and at least part of said rib is shorter than the length of said outer skirt.

Sub a1 27. The closure of Claim 22 wherein said inner skirt has a diameter that is less than the bottom diameter of said outer skirt and said closure further includes an annular flange depending from the interior surface of said top and being essentially centered on the interior surface of said top, said flange having a diameter that is smaller than the diameter of said inner skirt.

ADD B17

09876336-060701